

LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.

Product Features

- Thermoplastic PC housing, Retangular type plastic with different signs
- ☐ Single or double face configuration
- Universal (wall, side or ceiling) mounting
- Low energy consumption only 2.0 watts at 120V
- LED indicator light and push button test switch
- LEDs mounted on print circuit board
- 24 hours recharge after more than 3 Hours discharge
- Efficient thermal management technology
- 📥 Corrosion free mounting clamps
- im High performance Ni-Cd batteries made for Longevity & low maintenance
- ☑ Reliable Emergency backup of 3 hours



22

30

Ŕ

ήŅ

35 |-|

8

Exit Light - Surface



2w **vt-519-12**

SKU: 8312 - 6000K White 3800157630764

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides



Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qtv:	10 Pcs




Exit Light-Surface Hanging

2w **vt-520-12**

SKU: 8313 - 6000K White 3800157630771

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides





Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qtv:	10 Pcs



Exit Light-Hanging	
--------------------	--

2w vt-521-12

SKU: 8314 - 6000K White 3800157630788

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Hanging
Viewing Distance:	22 Meters From Both Sides



	335 310	46
185 480 35		

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qtv:	10 Pcs


Exit Light-Recessed

SKU: 8315 - 6000K White 3800157630795



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides





Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

Live . Light . Life

LED Emergency Lights

Emergency -Bulkhead

3.8W VT-511

®

SKU: 8249 - 6000K White 3800157635554

Lamp Type:	20 SMD LEDs
Lumens:	110lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	ABS+PC
Exit Lamp Type:	Bulkhead
Viewing Distance:	





Emergency Operation Time:	>3 Hours
Battery:	4V2.0AH Lead Acid battery
Recharging Time:	12 hours
Mode Of Operation:	Maintained/Non Maintained
Box Qty:	10 Pcs



Exit Light -	Bulkhead
Зw	VT-523-12

SKU: 8311 - 6000K White 3800157630757







Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover

Exit Lamp Type:	Wall - Bulkhead	Test Button:	Green Light Indicator Test Button
Viewing Distance:	22 Meters From One side	Stickers:	4 Stickers
Emergency Operation Time:	>3 Hours	Legends:	4 Ways Legend Available
Battery:	Ni-Cd 3.6v,1500mAh	Mode Of Operation:	Maintained
Recharging Time:	12 Hours	Box Qty:	12 Pcs

NEW



Emergency -Bulkhead Зw VT-533

SKU:8437 - 6400K White 3800157641296







CE/EMC

Lamp Type:	16 SMD LEDs	Exit Lamp Type:	Wall - Bulkhead	Stickers:	4 Stickers
Lumens:	140lm	Viewing Distance:	22 Meters From One side	Legends:	4 Ways Legend Available
Input Voltage:	AC:220-240V,50/60Hz	Emergency Operation Time:		Mode Of Operation:	Maintained
Protection Rating:	IP20	Battery:	Ni-cd 3.6V, 1200mAh	Box Qty:	10 Pcs
Material :	ABS+PC	Recharging Time:	24 Hours		
	* #				



Exit Light - Bulkhead Зw VT-543

SKU: 83111 - 6000K White 3800157650137





Lamp Type:	16 SMD LEDs	Exit Lamp Type:	Wall - Bulkhead	Test Button:	Green Light Indicator Button
Lumens:	140lm	Viewing Distance:	22 Meters From One side	Stickers:	4 Stickers
Input Voltage:	AC:220-240V,50/60Hz	Emergency Operation Time:		Legends:	4 Ways Legend Available
Protection Rating:	IP65	Battery:	Ni-Cd 3.6v,1200mAh	Mode Of Operation:	Maintained
Material :	PC Cover	Recharging Time:	12 Hours	Box Qty:	12 Pcs
••••••					

Live . Light . Life





Exit Light - Bulkhead

4₩ VT-524-12

SKU: 8382 - 6000K White 3800157635493



Lamp Type:	30 SMD LEDs	Exit Lamp Type:	Wall - Bulkhead	Test Button:	Green Light Indicator Test Button
Lumens:	190lm	Viewing Distance:	22 Meters From One side	Stickers:	4 Stickers
Input Voltage:	AC:220-240V,50/60Hz	Emergency Operation Time:		Legends:	4 Ways Legend Available
Protection Rating:	IP65	Battery:	Ni-Cd 4.8V,900mAh	Mode Of Operation:	Maintained
Material :	PC	Recharging Time:	12 hours	Box Qty:	12 Pcs



Emergency-Downlight

З₩ **VT-503**

SKU: 8274 - 5500K White 3800157627269

Material:	Poly Carbonate & Aluminium
Mouned:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA
Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained
Box Qty:	20 Pcs






Emergency-Twin Spotlight

6₩ **VT-526-IP65**

SKU: 80981 - 6000K White 3800157623148

Lamp Type:	2x6 SMD LEDs
Lumens:	300lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side





Em	ergency Operation Time:	>3 Hours
Ba	ttery:	Ni-Cd 3.6V,300mAh
Re	charging Time:	24 Hours(intial charge 36 hours)
Te	st Button:	Green Light Indicator Test Button
Sti	ckers:	4 Stickers
Le	gends:	2 Ways Legend Available
Mc	de Of Operation:	Non Maintained
Во	x Qty:	5 Pcs

Live . Light . Life

