



Italian & European Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian & European socket and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

- 3/4/5/6/8-way sockets - sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types



POWER ADAPTORS



USB TRAVEL ADAPTOR

VT-1024-W

SKU: 8791
EAN: 3800157644266

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27×47×70mm
Input Current:	0.25A

Output Current:	2A
Rated Load:	10W
Box Qty:	48 pcs



USB TRAVEL ADAPTOR

VT-1024-B

SKU: 8792
EAN: 3800157644273

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27×47×70mm
Input Current:	0.25A

Output Current:	2A
Rated Load:	10W
Box Qty:	48 pcs




USB QC3.0 TRAVEL ADAPTOR

VT-1026-W

SKU: 8793
EAN: 3800157644280

Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42×57×24mm
Input Current:	0.2A

Output Current:	3.0A
Rated Load:	18W
Box Qty:	48 pcs



USB QC3.0 TRAVEL ADAPTOR

VT-1026-B

SKU: 8794
EAN: 3800157644297

Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42×57×24mm
Input Current:	0.2A

Output Current:	3.0A
Rated Load:	18W
Box Qty:	48 pcs



UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION WITH 2USB 2A

SKU: 8704
EAN: 3800157642163

Input Power:	AC:110-250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95×50×40mm
Input Current:	10A

Output Current:	10A
Rated Load:	2500W
Box Qty:	48 pcs


UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION

 SKU: 8705
 EAN: 3800157642170

Input Power:	AC:110-250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	2500W
Dimension:	70×50×40mm	Box Qty:	100 pcs
Input Current:	10A		


CABLE REEL WITH 4 SOCKET
VT-6002

 SKU: 8781
 EAN: 3800157643528

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	Black
Dimension:	20X27X6.5mm	Box Qty:	5 pcs


CABLE REEL WITH 4 SOCKET
VT-6003

 SKU: 8782
 EAN: 3800157643535

Wire Length:	25M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	Black
Dimension:	24X13X33mm	Box Qty:	1 pcs


Extension Cord
VT-3001-3

 SKU: 8778
 EAN: 3800157643498

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	250×200×150mm	Box Qty:	30 pcs


Extension Cord
VT-3001-5

 SKU: 8779
 EAN: 3800157643504

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	200X160X90mm	Box Qty:	30 pcs


Extension Cord
VT-3001-10

 SKU: 8780
 EAN: 3800157643511

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	15 pcs

1.4M Wire



3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

VT-1153-2
SKU: 8799
EAN: 3800157645669

Wire Length:	1.4M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PC	Color:	White
Dimension:	130X138.30X42mm	Box Qty:	40 pcs

1.4M Wire



4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

VT-1154-2
SKU: 8800
EAN: 3800157645676

Wire Length:	1.4M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PC	Color:	White
Dimension:	77X77X82.8mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



4 HOLES SOCKET WITH SWITCH

VT-1117-4
SKU: 8770
EAN: 3800157643412

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174x45x40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



4 HOLES SOCKET WITH SWITCH

VT-1117-2
SKU: 8771
EAN: 3800157643429

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	174x45x40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



8 HOLES SOCKET WITH SWITCH

VT-1118-8
SKU: 8772
EAN: 3800157643436

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186x45x40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



8 HOLES SOCKET WITH SWITCH

VT-1118-2
SKU: 8773
EAN: 3800157643443

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	186x45x40mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH

2 USB PORT



3WAYS SOCKET WITH SWITCH AND 2USB VT-1124-2

SKU: 8774
EAN: 3800157643450

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	40 pcs

5M Wire

LIGHTED SWITCH

2 USB PORT



3WAYS SOCKET WITH SWITCH AND 2USB VT-1124-5

SKU: 8775
EAN: 3800157643467

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	20 pcs

1.5M Wire

LIGHTED SWITCH

2 USB PORT



3WAYS SOCKET WITH SWITCH AND 2USB VT-1125-2

SKU: 8776
EAN: 3800157643474

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	178x45x40mm	Box Qty:	40 pcs

5M Wire

LIGHTED SWITCH

2 USB PORT



3WAYS SOCKET WITH SWITCH AND 2USB VT-1125-5

SKU: 8777
EAN: 3800157643481

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	Black
Dimension:	178x45x40mm	Box Qty:	20 pcs

1.5M Wire



3 WAYS SOCKET

VT-1103-2
SKU: 8754
EAN: 3800157643252

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	170x45x40mm	Box Qty:	40 pcs

3M Wire



3 WAYS SOCKET

VT-1103-3
SKU: 8755
EAN: 3800157643269

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	170x45x40mm	Box Qty:	30 pcs

1.5M Wire



4 WAYS SOCKET

VT-1104-2

SKU: 8756
EAN: 3800157643276

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174x45x40mm	Box Qty:	40 pcs

3M Wire



4 WAYS SOCKET

VT-1104-3

SKU: 8757
EAN: 3800157643283

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174x45x40mm	Box Qty:	30 pcs

1.5M Wire



5 WAYS SOCKET

VT-1105-2

SKU: 8758
EAN: 3800157643290

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	40 pcs

3M Wire



5 WAYS SOCKET

VT-1105-3

SKU: 8759
EAN: 3800157643306

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178x45x40mm	Box Qty:	30 pcs

1.5M Wire



6 WAYS SOCKET

VT-1106-2

SKU: 8760
EAN: 3800157643313

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182x45x40mm	Box Qty:	40 pcs

3M Wire



6 WAYS SOCKET

VT-1106-3

SKU: 8761
EAN: 3800157643320

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182x45x40mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



3WAYS SOCKET WITH SWITCH

VT-1113-2

SKU: 8762

EAN: 3800157643337

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	40 pcs

5M
Wire

LIGHTED
SWITCH



3WAYS SOCKET WITH SWITCH

VT-1113-5

SKU: 8763

EAN: 3800157643344

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	174×45×40mm	Box Qty:	20 pcs

1.5M
Wire

LIGHTED
SWITCH



4WAYS SOCKET WITH SWITCH

VT-1114-2

SKU: 8764

EAN: 3800157643351

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	40 pcs

5M
Wire

LIGHTED
SWITCH



4WAYS SOCKET WITH SWITCH

VT-1114-5

SKU: 8765

EAN: 3800157643368

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	178×45×40mm	Box Qty:	20 pcs

1.5M
Wire

LIGHTED
SWITCH



5WAYS SOCKET WITH SWITCH

VT-1115-2

SKU: 8766

EAN: 3800157643375

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	40 pcs

5M
Wire

LIGHTED
SWITCH



5WAYS SOCKET WITH SWITCH

VT-1115-5

SKU: 8767

EAN: 3800157643382

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	182×45×40mm	Box Qty:	20 pcs

1.5M Wire

LIGHTED SWITCH



6WAYS SOCKET WITH SWITCH

VT-1116-2

SKU: 8768
EAN: 3800157643399

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186x45x40mm	Box Qty:	40 pcs

5M Wire

LIGHTED SWITCH



6WAYS SOCKET WITH SWITCH

VT-1116-5

SKU: 8769
EAN: 3800157643405

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3680W
Body Type:	PP+COPPER	Color:	White
Dimension:	186x45x40mm	Box Qty:	20 pcs

1.4M Wire

LIGHTED SWITCH

2 USB PORT



SURGE PROTECTION



3 WAYS DESK SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1133-2

SKU: 8817
EAN: 3800157648981

Wire Length:	1.4M	Input Current:	3x16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PC,PVC, COPPER	Color:	Black
Dimension:	225x65x73mm	Box Qty:	20 pcs

1.4M Wire

LIGHTED SWITCH

2 USB PORT



4 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1144-2

SKU: 8808
EAN: 3800157648882

Wire Length:	1.4M	Input Current:	4x16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PC,PVC, COPPER	Color:	White
Dimension:	307x46x42mm	Box Qty:	20 pcs

3M Wire

LIGHTED SWITCH

2 USB PORT



5 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

VT-1115-3

SKU: 8807
EAN: 3800157648875

Wire Length:	3M	Input Current:	5x16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PP,PVC, COPPER	Color:	White
Dimension:	365x53x44mm	Box Qty:	20 pcs

1.4M Wire

LIGHTED SWITCH

SURGE PROTECTION

OVERLOAD PROTECTION



5 WAYS SAFE SOCKET WITH LIGHTED SWITCH

VT-1135-2

SKU: 8818
EAN: 3800157648998

Wire Length:	1.4M	Input Current:	5x16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,PVC, COPPER	Color:	White
Dimension:	330x55x41mm	Box Qty:	20 pcs



2 WAYS ADAPTER WITH EARTHING CONTACT

VT-1006-2

SKU: 8783
EAN: 3800157643986

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	98×46×74.6mm
Input Current:	16A

Output Current:	2×16A
Rated Load:	2300W
Box Qty:	100 pcs



ADAPTER WITH 2 EURO-SOCKET

VT-1005-2

SKU: 8784
EAN: 3800157643993

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1×48×75.3mm
Input Current:	16A

Output Current:	16A+2×2.5A
Rated Load:	3680W
Box Qty:	100 pcs



4 WAYS ADAPTER WITH EARTHING CONTACT

VT-1004-4

SKU: 8785
EAN: 3800157644006

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	91.2×49×78.1mm
Input Current:	16A

Output Current:	4×2.5A
Rated Load:	3680W
Box Qty:	100 pcs



2 WAYS ADAPTER WITH EARTHING CONTACT

VT-1008-2

SKU: 8786
EAN: 3800157644013

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	87.5×45.8×99.5mm
Input Current:	16A

Output Current:	3×16A
Rated Load:	3680W
Box Qty:	100 pcs



3 WAYS ADAPTER WITH EARTHING CONTACT

VT-1009-3

SKU: 8787
EAN: 3800157644020

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	92.8×72.4×86.1mm
Input Current:	16A

Output Current:	3×16A
Rated Load:	3680W
Box Qty:	100 pcs



3 OUTLET POWER ADAPTER WITH EARTH CONTACT AND SWITCH

VT-1010-3

SKU: 8788
EAN: 3800157644037

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1×69.7×76.5mm
Input Current:	16A

Output Current:	16A+2×2.5A
Rated Load:	3680W
Box Qty:	100 pcs



3 OUTLET POWER ADAPTER WITH EARTH CONTACT VT-1011-3

SKU: 8789
EAN: 3800157644044

Input Power:	AC:250V, 16A	Output Current:	3x16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	133.6x49.5x76.9mm	Box Qty:	100 pcs
Input Current:	16A		



3 OUTLET POWER ADAPTER

VT-1012-3

SKU: 8790
EAN: 3800157644051

Input Power:	AC:250V, 16A	Output Current:	3x16A
Body Type:	PP Plastic+ Copper	Rated Load:	3680W
Dimension:	87.5x84.98x59.4mm	Box Qty:	100 pcs
Input Current:	16A		



2 OUTLET ADAPTER 2.5A

SKU: 8801
EAN: 3800157645683

Input Power:	AC:230V	Output Current:	5A
Body Type:	PP	Rated Load:	1100W
Dimension:	44X39X61mm	Box Qty:	200 pcs
Input Current:	16A		



3 OUTLET ADAPTER 2.5A

VT-1023

SKU: 8802
EAN: 3800157645690

Input Power:	AC:230V	Output Current:	7.5A
Body Type:	PP	Rated Load:	1700W
Dimension:	65x47x72mm	Box Qty:	200 pcs
Input Current:	16A		



ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH EARTHING CONTACT VT-1053

SKU: 8804
EAN: 3800157645713

Input Power:	AC:230V	Output Current:	16A
Body Type:	PP	Rated Load:	3500W
Dimension:	92x47.5x75mm	Box Qty:	200 pcs
Input Current:	16A		



2 OUTLET ADAPTER 16A WITH EARTHING CONTACT 16A VT-1042

SKU: 8805
EAN: 3800157645720

Input Power:	AC:230V	Output Current:	16A
Body Type:	PP	Rated Load:	3680W
Dimension:	92x50x75mm	Box Qty:	200 pcs
Input Current:	16A		



4 OUTLET ADAPTER 2.5A

VT-1054

SKU: 8803
EAN: 3800157645706

Input Power:	AC:230V
Body Type:	PP
Dimension:	83×47×72mm
Input Current:	16A

Output Current:	10A
Rated Load:	2300W
Box Qty:	200 pcs

ADAPTER WITH 2 SOCKET 2.5A,1
SOCKET 16A WITH SWITCH & EARTHING
CONTACT 16A

VT-1063

SKU: 8806
EAN: 3800157645737

Input Power:	AC:230V
Body Type:	PP
Dimension:	95×70×74mm
Input Current:	16A

Output Current:	16A
Rated Load:	3500W
Box Qty:	200 pcs

ADAPTER WITH EARTHING CONTACT &
CHARGING

VT-1044-W

SKU: 8795
EAN: 3800157644303

Input Power:	AC:110-230V,50/60Hz
Body Type:	ABS
Dimension:	107×54.2×74.2mm
Input Current:	16A

Output Current:	16A+2.1A
Rated Load:	3680W
Box Qty:	60 pcs

ADAPTER WITH EARTHING CONTACT &
CHARGING

VT-1044-B

SKU: 8796
EAN: 3800157644310

Input Power:	AC:110-230V,50/60Hz
Body Type:	ABS
Dimension:	107×54.2×74.2mm
Input Current:	16A

Output Current:	16A+2.1A
Rated Load:	3680W
Box Qty:	60 pcs



1 WAY ADAPTER-16A

VT-1101-1

SKU: 8809
EAN: 3800157648899

Input Power:	AC:200-240V,50Hz
Body Type:	PP COPPER
Dimension:	80×55×72mm
Input Current:	16A

Output Current:	16A
Rated Load:	3680W
Box Qty:	100 pcs





2 WAYS ADAPTER-16A-IP44

VT-1102-2

SKU: 8812
EAN: 3800157648929

Wire Length:	NA	Input Current:	2x16A
Input Power:	AC:200-240V,50Hz	Rated Load:	3680W
Body Type:	PP COPPER	Color:	Green
Dimension:	105x66x106mm	Box Qty:	100 pcs

3M Wire



2 WAYS GARDEN SPIKE SOCKET WITH MECHANICAL TIMER

VT-1112-3

SKU: 8811
EAN: 3800157648912

Wire Length:	3M	Input Current:	2x16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PP,RUBBER, COPPER	Color:	Green
Dimension:	403x145x113mm	Box Qty:	8 pcs

3M Wire



4 WAYS GARDEN SPIKE SOCKET-IP44

VT-1114-3

SKU: 8810
EAN: 3800157648905

Wire Length:	3M	Input Current:	4x16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PP,RUBBER, COPPER	Color:	Green
Dimension:	403x145x113mm	Box Qty:	8 pcs



WATERPROOF SAFE BOX-IP44

SKU: 8819
EAN: 3800157648950

Input Power:	AC:230V	Output Current:	NA
Body Type:	PP	Rated Load:	NA
Dimension:	212x82x72mm	Box Qty:	40 pcs
Input Current:	16A		

3M Wire



4 WAYS SOCKET-IP44

VT-1124-3

SKU: 8814
EAN: 3800157648943

Wire Length:	3M	Input Current:	4x16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,RUBBER, COPPER	Color:	Black+Yellow
Dimension:	230x71x94mm	Box Qty:	10 pcs

3M Wire

LIGHTED SWITCH



5 WAYS SOCKET WITH LIGHTED SWITCH-IP44

VT-1125-3

SKU: 8813
EAN: 3800157648936

Wire Length:	3M	Input Current:	5x16A
Input Power:	AC:230V	Rated Load:	3680W
Body Type:	PP,RUBBER, COPPER	Color:	Black+Yellow
Dimension:	403x73x49.5mm	Box Qty:	10 pcs

15M
Wire

EXTENSION CORD-1 WAY-16A-IP44

VT-3002-15

SKU: 8816

EAN: 3800157648974

Wire Length:	15M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PVC, COPPER,PP	Color:	Orange+Black
Dimension:	357×130×130mm	Box Qty:	8 pcs

30M
Wire


EXTENSION CORD-1 WAY-16A-IP44

VT-3002-30

SKU: 8815

EAN: 3800157648967

Wire Length:	30M	Input Current:	16A
Input Power:	AC:230V	Rated Load:	3500W
Body Type:	PVC, COPPER,PP	Color:	Orange+Black
Dimension:	473×128×150mm	Box Qty:	4 pcs




2 WAYS GARDEN SOCKET IP44

VT-1155-2

SKU: 8820

EAN: 3800157652452

Input Power:	2 Way-	Rated Load:	16A3680W
Body Type:	AC:220-240V,50Hz	Color:	Dark Grey
Dimension:	Stainless Steel	Box Qty:	8820
	127×300mm		




4 WAYS GARDEN SOCKET IP44

VT-1155-4

SKU: 8821

EAN: 3800157652469

Input Power:	4 Way-	Rated Load:	16A3680W
Body Type:	AC:220-240V,50Hz	Color:	Dark Grey
Dimension:	Stainless Steel	Box Qty:	8821
	157×395mm		



E27
HOLDER

2 WAYS GARDEN SOCKET WITH LAMP IP44

VT-1156-2

SKU: 8822

EAN: 3800157652476

Input Power:	2 Way-	Rated Load:	16A3680W
Body Type:	AC:220-240V,50Hz	Color:	Dark Grey
Dimension:	Stainless Steel+PC	Box Qty:	8822
	127×455mm		



ITALIAN SOCKETS

1.5M Wire



Multipresa, 3 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8706
EAN: 3800157642187

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	115x47x22mm	Box Qty:	50 pcs

1.5M Wire



Multipresa, 4 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8707
EAN: 3800157642194

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	135x47x22mm	Box Qty:	50 pcs

1.5M Wire



Multipresa, 5 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8708
EAN: 3800157642200

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	155x47x22mm	Box Qty:	40 pcs

1.5M Wire



Multipresa, 6 pos. 10/16A prese Bipasso
Con attacco a parete

SKU: 8709
EAN: 3800157642217

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	170x47x22mm	Box Qty:	40 pcs



3 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8710
EAN: 3800157642224

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×55×45mm	Box Qty:	50 pcs



4 POS. CON INTERRUOTORE LUMINOSO
10/16A BIPASSO/SCHUKO

SKU: 8711
EAN: 3800157642231

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	245×55×45mm	Box Qty:	40 pcs



5 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8712
EAN: 3800157642248

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	280×55×45mm	Box Qty:	30 pcs



6 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8713
EAN: 3800157642255

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	325×55×45mm	Box Qty:	30 pcs



7 pos. con interruttore luminoso
10/16A Bipasso/schuko

SKU: 8714
EAN: 3800157642262

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	370×55×45mm	Box Qty:	30 pcs



5pos. con interruttore luminoso
10/16A Bipasso/schuko + con 2
connessioni USB

SKU: 8715
EAN: 3800157642279

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	335×55×45mm	Box Qty:	30 pcs

1.5M Wire

LIGHTED SWITCH



4 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

SKU: 8748
EAN: 3800157642606

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	160×100×45mm	Box Qty:	40 pcs

1.5M Wire

LIGHTED SWITCH



6 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

SKU: 8749
EAN: 3800157642613

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×100×45mm	Box Qty:	30 pcs

3M Wire



2 prese 2p+t 10/16A Bipasso
1 prese Bipasso/Schuko

SKU: 8733
EAN: 3800157642453

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2500W
Body Type:	PP+COPPER	Color:	White
Dimension:	100×47×52mm	Box Qty:	50 pcs

1.5M Wire

LIGHTED SWITCH



4 prese 2p+t 10/16A Bipasso
2 prese 10/16A Bipasso/Schuko

SKU: 8734
EAN: 3800157642460

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	150×47×45mm	Box Qty:	25 pcs

1.5M Wire

LIGHTED SWITCH



6 prese 2p+t 10/16A Bipasso
3 prese 10/16A Bipasso/Schuko

SKU: 8735
EAN: 3800157642477

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	195×47×45mm	Box Qty:	25 pcs

1.5M Wire

LIGHTED SWITCH



8 prese 2p+T10/16A Bipasso
4 prese Bipasso/Schuko

SKU: 8736
EAN: 3800157642484

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	240×47×45mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



4 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e
interruttore generale luminoso e
4 interruttori indipendenti

SKU: 8737
EAN: 3800157642491

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	225*72*40mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



5 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e
interruttore generale luminoso e
5 interruttori indipendenti

SKU: 8738
EAN: 3800157642507

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	260*72*40mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



6 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e
interruttori generale luminoso e
6 interruttore indipendenti

SKU: 8739
EAN: 3800157642514

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	305*70*35mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH

2
USB PORT



2 presa 2p+T10/16A Bipasso + 1 presa
Bipasso/schuko
con protezione sovraccaro / con 2USB

SKU: 8745
EAN: 3800157642576

Wire Length:	1.5M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	145*50*40mm	Box Qty:	40 pcs

1.5M
Wire

LIGHTED
SWITCH



4 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8740
EAN: 3800157642521

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	160*50*30mm	Box Qty:	30 pcs

1.5M
Wire

LIGHTED
SWITCH



5 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8741
EAN: 3800157642538

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	180*47*30mm	Box Qty:	30 pcs

**1.5M
Wire**

**LIGHTED
SWITCH**



6 pos. Con interruttore luminoso 10/16A Bipasso
Con attacco a parete

SKU: 8742
EAN: 3800157642545

Wire Length:	1.5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PP+COPPER	Color:	White
Dimension:	200×50×30mm	Box Qty:	30 pcs



**5M
Wire**



2 prese 2P+T 10/16A Bipasso
Con protezione termica ripristinabile

SKU: 8700
EAN: 3800157642125

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	200×160×90mm	Box Qty:	10 pcs

**10M
Wire**



4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8701
EAN: 3800157642132

Wire Length:	10M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	250×200×150mm	Box Qty:	6 pcs

**15M
Wire**



4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8702
EAN: 3800157642149

Wire Length:	15M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	240×190×160mm	Box Qty:	6 pcs

**25M
Wire**



4 prese Bipasso/Schuko
Con protezione termica ripristinabile

SKU: 8703
EAN: 3800157642156

Wire Length:	25M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	2200W
Body Type:	ABS+PC+COPPER	Color:	Black
Dimension:	300×240×190mm	Box Qty:	4 pcs

15M
Wire



Prolunga, 1 via 10/16A presa italiana/
Schuko con cavo VDE H05VV-F
3G1.5mm² 15m, con spina italiana 16A,
con telaio portacavi

SKU: 8834
EAN: 3800157648868

Input Power:	AC:230V	Output Current:	
Body Type:	PVC, COPPER,PP	Rated Load:	2500W
Dimension:	357×130×130mm	Box Qty:	8 pcs
Input Current:	10/16A		

30M
Wire



Prolunga, 1 via 10/16A presa italiana/
Schuko con cavo VDE H05VV-F
3G1.5mm² 30m, con spina italiana 16A,
con telaio portacavi

SKU: 8833
EAN: 3800157648851

Input Power:	AC:230V	Output Current:	2500W
Body Type:	PVC, COPPER,PP	Rated Load:	4 pcs
Dimension:	473×128×150mm	Box Qty:	
Input Current:	10/16A		

3M
Wire



Prolunga lineare
spina 10A,2p+T prese 10A

SKU: 8729
EAN: 3800157642415

Wire Length:	3M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	2300W
Body Type:	PC+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	30 pcs

5M
Wire



Prolunga lineare
spina 10A,2p+T prese 10A

SKU: 8730
EAN: 3800157642422

Wire Length:	5M	Input Current:	10A
Input Power:	AC:250V,50/60Hz	Rated Load:	2300W
Body Type:	PC+COPPER	Color:	White
Dimension:	230×110×60mm	Box Qty:	30 pcs

3M
Wire



Prolunga lineare
spina 16A,2p+T prese 10/16Aa

SKU: 8731
EAN: 3800157642439

Wire Length:	3M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PC+COPPER	Color:	White
Dimension:	200×110×40mm	Box Qty:	50 pcs

5M
Wire



Prolunga lineare
spina 16A,2p+T prese 10/16Aa

SKU: 8732
EAN: 3800157642446

Wire Length:	5M	Input Current:	16A
Input Power:	AC:250V,50/60Hz	Rated Load:	3500W
Body Type:	PC+COPPER	Color:	White
Dimension:	230×110×60mm	Box Qty:	30 pcs



LIGHTED SWITCH



Adattatore spina 16A 2 prese 2P+T 10/16A +
1 presa/Schuko con interruttore

SKU: 8716
EAN: 3800157642286

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	85x75x50mm	Box Qty:	200 pcs
Input Current:	16A		



Adattatore rotante, Spina 10A
2 prese 2P+T 10/16A Bipasso+
1 presa Bipasso/Schuko
Con protezione de sovraccarico

SKU: 8744
EAN: 3800157642569

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	80x75x48mm	Box Qty:	60 pcs
Input Current:	10A		



Adattatore Spina 10A
4 prese 10/16A Bipasso
Con protezione de
sovraccarico

SKU: 8746
EAN: 3800157642583

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95x70x70mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore Spina 10A
2 prese 2P+T 10/16A Bipasso+
1 presa Bipasso/Schuko
Con protezione de sovraccarico

SKU: 8743
EAN: 3800157642552

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95x50x40mm	Box Qty:	200 pcs
Input Current:	10A		

Universal Adapter



UNIVERSAL ADAPTOR
10A 250V~

SKU: 8747
EAN: 3800157642590

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70x55x50mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore
2 vie 10 / 16A presa Italiana e
1 via 10 / 16A presa Italiano / Schuko
con
interruttore due porte di ricarica USB
2.1A

SKU: 8830
EAN: 3800157648820

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC COPPER	Rated Load:	1500W
Dimension:	120×84×54mm	Box Qty:	100 pcs
Input Current:	10/16A		



Adattatore 3 vie 10 / 16A presa Italiana
con interruttore, con spina Italiana 16A

SKU: 8831
EAN: 3800157648837

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC COPPER	Rated Load:	1500W
Dimension:	70×64×54mm	Box Qty:	100 pcs
Input Current:	10/16A		



Adattatore presa Italiana 1 via 10 / 16A,
con protezione contro le sovratensioni,
con spina Italiana da 16A

SKU: 8832
EAN: 3800157648844

Input Power:	AC:200-240V,50Hz	Output Current:	
Body Type:	PC PP COPPER	Rated Load:	3680W
Dimension:	80×55×72mm	Box Qty:	100 pcs
Input Current:	10/16A		



Spina 2p+t 10A

SKU: 8717
EAN: 3800157642293

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×32×15mm	Box Qty:	200 pcs
Input Current:	10A		



Spina 2p+t 16A

SKU: 8718
EAN: 3800157642309

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70×43×20mm	Box Qty:	200 pcs
Input Current:	16A		



Spina 2p+t 10A

SKU: 8719
EAN: 3800157642316

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	70×40×40mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore spina 16A
presa 2p+T 10A schuko

SKU: 8720
EAN: 3800157642323

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75×40×40mm	Box Qty:	200 pcs
Input Current:	16A		



10A adattatore spina 10 A
3 prese 10 A

SKU: 8721
EAN: 3800157642330

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	60×50×48mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore spina 16A
3 presa 10A /16A Bipasso

SKU: 8722
EAN: 3800157642347

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	60×47×40mm	Box Qty:	200 pcs
Input Current:	16A		



Adattatore spina 10A
2presa 10/ 10A schuko

SKU: 8723
EAN: 3800157642354

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75×50×40mm	Box Qty:	200 pcs
Input Current:	10A		



Adattatore spina 16A
2presa 10/ 16A Bipasso + 1 Bipasso /
schuko

SKU: 8724
EAN: 3800157642361

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	75×50×40mm	Box Qty:	200 pcs
Input Current:	16A		



Adattatore spina 10A
4 prese 10A

SKU: 8725
EAN: 3800157642378

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×60×45mm	Box Qty:	200 pcs
Input Current:	10A		



Spina 2p+t 16A

SKU: 8726
EAN: 3800157642385

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	95×60×45mm	Box Qty:	200 pcs
Input Current:	16A		



Spina 2p+t 10A

SKU: 8727
EAN: 3800157642392

Input Power:	AC:250V,50/60Hz	Output Current:	10A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×35×25mm	Box Qty:	200 pcs
Input Current:	10A		



Prese 10A /16A Bipasso
2p+T

SKU: 8728
EAN: 3800157642408

Input Power:	AC:250V,50/60Hz	Output Current:	16A
Body Type:	PC+COPPER	Rated Load:	1500W
Dimension:	65×43×25mm	Box Qty:	200 pcs
Input Current:	16A		

